

# BLUELIFT



# B72 Bluelift

## Performance

- Working height 72ft
- Basket height 66ft
- Max outreach 36ft  
(with/max outrigger)
- Basket capacity 550lb
- Basket dim 4ft 3in X 2ft 3in
- Basket rotation +/- 80°
- Turret rotation 360°
- Max windspeed 28 mph
- Operating speed 0.9 mph
- Travel speed 0.9 mph

## Dimension

- Height 6ft 6in
- Length (w/o basket) 14ft 8in
- Length (w basket) 17ft 3in
- Width (w/o basket) 3ft 1in
- Footprint Variable
- Weight (approx.) 6600 lb
- Max pressure –tracks 6.8 psi
- Max pressure -footplates 90.4 psi
- Track size 5ft 10in x 3in
- Foot pad size 48-1/2 sq in
- Drive gradeability 15°/ 28%
- Set-up gradeability 10°/ 18%
- Oil tank capacity 8 gal

## Power Source

- Honda Gas engine Standard
- Hatz diesel engine Option
- Lithium battery only Lithium
- Honda/Lithium battery COMBO






**How do you sum up safe, compact, efficient, innovative and quality in one word? Bluelift!**

With the largest work height range in its class, the Bluelift model line represents a safer and more versatile access solution than any other product.

From the B35 at only 7 ft. 8 in. long, fitting into a standard elevator, to the largest 101 ft. unit at only 39 in. wide, the Bluelift is the safe choice when it comes to complex access applications. Light weight, compact with superior performance and uncompromised safety.

Whether you need a safe solution in- or outdoor or both, Bluelift delivers with unmatched power choice from gas, diesel over lithium battery to combinations.


All the above in one word: Bluelift




**B72  
BLUELIFT**

**Standard Equipment**


- Automatic stability & outreach control
- Computer controlled (can-bus)
- Non marking tracks
- Self propelled
- Honda iGX 390 engine
- 360° non continuous turret rotation
- Manual pump for emergency lowering
- Width of only 3ft 1in
- 2 person basket
- Full work height with 550lbs in the basket
- Full outreach 440 lbs in the basket
- Air/water in basket – 1 hose
- 110V to the basket
- Adjustable tracks
- Hetric wireless remote + 1 in fixed in basket
- FMS (Function Memory System)
- Automatic turret center stop




**Wide Outrigger Setting**




**Standard Outrigger Setting**




**Narrow Outrigger Setting**




**Wide Outrigger Setting**



**Standard Outrigger Setting**



**Narrow Outrigger Setting**



**B72**

# BLUELIFT

B72  
**BLUELIFT**

