















Center of the outrigger plates!






Description Working area (theoretical) RUTHMANNSTEIGER® T 187 AE Kenworth T480 1-3		Scale 1:700
		Com. No. 35370
Ruthmann Holdings GmbH Ruthmannstr. 4 48712 Gescher Germany		Sheet 1
		No. Sheets 3
Working height max.  187 ft (57,0 m)	Outreach max.  133 ft (40,8 m)	
Date: May 27, 2025	Format: A3	FTA-bm






Center of the outrigger plates!



Description Working area (theoretical) RUTHMANNSTEIGER® T 187 AE Kenworth T480 1-3		Scale
		1:700
Ruthmann Holdings GmbH Ruthmannstr. 4 48712 Gescher Germany		Com. No.
		35370
 RUTHMANN A TITAN MANUFACTURING COMPANY		Sheet
		2
Working height max.  187 ft (57,0 m)		No. Sheets
Outreach max.  133 ft (40,8 m)		3
Date: May 27, 2025	Format: A3	FTA-bm



Center of the outrigger plates!



DRSoo stabilizer force selection		
Rear left	150 kN	
Rear right	150 kN	
Front left	150 kN	
Front right	150 kN	
Description		Scale
Working area (theoretical) RUTHMANNSTEIGER® T 187 AE Kenworth T480 1-3		1:600
		Com. No. 35370
Ruthmann Holdings GmbH Ruthmannstr. 4 48712 Gescher Germany		Sheet 3
		No. Sheets 3
Working height max.  187 ft (57,0 m)		Outreach max.  109 ft (33,3 m)
Date: May 27, 2025	Format: A3	FTA-bm